

POTMIX ASPHALT HOTBOX & ASPHALT A8/A11

ASPHALT MACHINERY

ASPHALT HOTBOX


Potmix Asphalt Hotbox is a thermo container for storing hot mix asphalt or reheating Potmix Asphalt A8/A11 to working temperature (100-120°C). The standard size range is from 1.4 ton to 14 ton units.

BASE UNIT INCLUDE:

- All sides double walled (40 mm) insulated container.
- Regulated propane gas heating system with temperature gauge, electronic ignition, automatic re-ignition, and timer function.
- All-round heating for re-heating of Potmix Asphalt A8/A11.
- External motor (Hatz/Kohler) for vehicles without hydraulic drive.
- High quality Mangan steel screw conveyor.
- Two-gear hydraulic drive system; max. 40l/h, 160-180 bar.
- Built in big bag discharging knife.
- 4-piece cover with hydraulic opening.
- Hydraulic vibration plate lifter (max 300kg).
- Foot platform with expandable ladder.
- Shovel box & material chute.
- External gas burner in titanium.
- Asphalt Release sprayer.
- Manual in English.

EXTRA OPTIONS/ADDITIONS:

- Double chamber container with two screw conveyors (6-14 ton).
- Winter maintenance kit for spreading salt/gravel.
- Extra external auger (>4.5 ton).
- Emulsion tank, hydraulic pump, and sprayer.
- Parking system with manual/hydraulic height adjustment.



External motor for hydraulic drive



Standing platform & external gas burner



Heating system with timer function



Allround heating & bag discharge knife



Emulsion tank & pump



Additional external auger



ASPHALT MATERIAL

POTMIX ASPHALT A8/A11



Our storable Asphalt A8 is an ideal asphalt product for repairs of road damages. The asphalt is an ABT8 and is manufactured according to EN13108-1 standards. With additives and an unique packaging technology, we have developed a road repair asphalt that can be stored in our big bags for up to twelve months. The Asphalt A8 must be heated in a Potmix Hotbox before application. The asphalt can be reheated 1-2 times without affecting quality, making the combination of Hotbox & Asphalt A8 a very flexible and economical solution for all types of smaller asphalt works.



POTMIX PRODUCTS AB
BOX 14003 • 630 14 • ESKILSTUNA • SWEDEN
INFO@POTMIX.COM • +46 10 101 80 33 • WWW.POTMIX.COM