

SAFETY DATA SHEET

Potmix Asphalt Sealant

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- 1.1. Product identifier
 - Trade name

Potmix Asphalt Sealant

- Product no.
- 13002
- 1.2. Relevant identified uses of the substance or mixture and uses advised against
- Relevant identified uses of the substance or mixture

Road repair Uses advised against

None known.

1.3. Details of the supplier of the safety data sheet

Company and address

Potmix Products AB Box 14003 630 14 Eskilstuna

```
Sweden
Tel: +46 (0)10-101 80 33
www.potmix.com
```

E-mail

```
info@potmix.com
```

Revision

30/10/2023

SDS Version

```
1.0
```

1.4. Emergency telephone number

```
Contact The National Poisons Information Service (dial 111, 24 h service).
See section 4 "First aid measures".
```

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

```
Hazard pictogram(s)
Not applicable.
Signal word
Not applicable.
Hazard statement(s)
Not applicable.
Precautionary statement(s)
```

2.2. Label elements

General

Prevention

-

Response

Storage

Disposal



Hazardous substances

None known.

Additional labelling

EUH210, Safety data sheet available on request.

2.3. Other hazards

Additional warnings

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Asphalt	CAS No.: 8052-42-4 EC No.: 232-490-9 UK-REACH: Index No.:	40-60%		[19]

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation

In case of discomfort: bring the person into fresh air.

Skin contact

Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.

Eye contact

If in eyes: Flush eyes with plenty of water or salt water (20-30 °C) and continue until irritation stops. Remove contact lenses.

Ingestion

Rinse and flush mouth thoroughly and consume large quantities of water. In case of continued discomfort: seek medical assistance and bring this safety data sheet.

Burns

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

None known.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: Firefighting measures

5.1. Extinguishing media



Suitable extinguishing media: Alcohol-resistant foam, carbon dioxide, powder, water mist. Unsuitable extinguishing media: Waterjets should not be used, since they can spread the fire.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

5.3. Advice for firefighters

Fire fighters should wear appropriate personal protective equipment.

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation, especially in confined areas. Contaminated areas may be slippery.
- 6.2. Environmental precautions Avoid discharge to lakes, streams, sewers, etc.

Keep unauthorized persons away from the spill

6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area. See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Recommended storage material

Keep only in original packaging.

Storage temperature

Room temperature 15 to 25°C

Incompatible materials

Metal

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Asphalt

Long term exposure limit (8 hours) (mg/m³): 5 Short term exposure limit (15 minutes) (mg/m³): 10

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002. EH40/2005 Workplace exposure limits (Fourth Edition 2020).

DNEL

Asphalt		
Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Inhalation	610 µg/m³
Long term – Local effects - Workers	Inhalation	2.88 mg/m ³

- PNEC
 - No data available.
- 8.2. Exposure controls



Compliance with the given occupational exposure limits values should be controlled on a regular basis.

1 5		e limits values should be controlled on a re	gular basis.
General recommendation Smoking, drinking ar		not allowed in the work area.	
Exposure scenarios	·		
Exposure limits	re scenarios implemented		
		set maximum concentrations for occupati	onal exposure. See
local exhaust system emergency showers	bours must be kept at a mi i if normal air flow in the w are clearly marked.	inimum and below current limit values (sec vork room is not sufficient is recommende product. Avoid inhalation of vapours.	
Wash hands after us Measures to avoid envir			
No specific requirem			
Individual protection meas Generally	ures, such as personal pro	otective equipment	
	ed protective equipment.		
Respiratory Equipment No specific requirem	ients		
Skin protection			
Recommended	Type/Category	Standards	
Dedicated work clothing should be worn.	-	-	Ŕ
Hand protection No specific requirem	ients.		
Eye protection Type	Standards		
Face shield	EN166		
alternatively safety glasses with side shields.	LINIOO		ÊJ
SECTION 9: Physical and c	hemical properties		
9.1. Information on basic p Physical state Liquid Colour Deep brown Odour / Odour threshol Characteristic		perties	
pH Testing not relevant Density (g/cm³)	or not possible due to the	nature of the product.	
Relative density 0.85 (25 °C)			
Kinematic viscosity Testing not relevant Particle characteristics Does not apply to liq	or not possible due to the uids.	nature of the product.	
Phase changes			
Melting point/Freezing	point (°C) or not possible due to the	nature of the product.	
Potmix Asphalt Sealant			Page 4 of 8



Softening point/range (waxes and pastes) (°C) Does not apply to liquids. Boiling point (°C) Testing not relevant or not possible due to the nature of the product. Vapour pressure 23 hPa (20 °C) Relative vapour density Testing not relevant or not possible due to the nature of the product. Decomposition temperature (°C) Testing not relevant or not possible due to the nature of the product. Data on fire and explosion hazards Flash point (°C) Testing not relevant or not possible due to the nature of the product. Flammability (°C) Testing not relevant or not possible due to the nature of the product. Auto-ignition temperature (°C) Testing not relevant or not possible due to the nature of the product. Lower and upper explosion limit (% v/v) Testing not relevant or not possible due to the nature of the product. Solubility Solubility in water Insoluble n-octanol/water coefficient Testing not relevant or not possible due to the nature of the product. Solubility in relevant or not possible due to the nature of the product. Solubility in relevant or not possible due to the nature of the product. Solubility in relevant or not possible due to the nature of the product. Solubility Solubility in relevant or not possible due to the nature of the product. Solubility in relevant or not possible due to the nature of the product. Solubility in relevant or not possible due to the nature of the product. Solubility in fat (g/L) Testing not relevant or not possible due to the nature of the product. Solubility in fat (g/L) Testing not relevant or not possible due to the nature of the product. Solubility in a transci role possible due to the nature of the product. Solubility in a transci role possible due to the nature of the product. Solubility in dra (relevant or not possible due to the nature of the product. Solubility in dra (relevant or not possible due to the nature of the product. Solubility and relevant or not possible due to the nature of the product. Solubility and relevant or not possible due to the nature of the product. Sol
SECTION 10: Stability and reactivity
 10.1. Reactivity No data available. 10.2. Chemical stability The product is stable under the conditions, noted in section 7 "Handling and storage". 10.3. Possibility of hazardous reactions None known. 10.4. Conditions to avoid None known. 10.5. Incompatible materials Metal 10.6. Hazardous decomposition products The product is not degraded when used as specified in section 1.
SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory sensitisation

Based on available data, the classification criteria are not met. Skin sensitisation



Based on available data, the classification criteria are not met. Germ cell mutagenicity

Based on available data, the classification criteria are not met. Carcinogenicity

Based on available data, the classification criteria are not met. Reproductive toxicity

Based on available data, the classification criteria are not met. STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Long term effects

None known.

Endocrine disrupting properties

This mixture/product does not contain any substances considered to have hormone-disrupting properties in relation to health.

Other information

Asphalt has been classified by IARC as a group 2B carcinogen.

SECTION 12: Ecological information

12.1. Toxicity

No data available.

- 12.2. Persistence and degradability No data available.
- 12.3. Bioaccumulative potential
- No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances considered to meet the criteria classifying them as PBT and/or vPvB.

- 12.6. Endocrine disrupting properties
- This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.
- 12.7. Other adverse effects None known.

SECTION 13: Disposal considerations

Waste treatment methods

Product is not covered by regulations on dangerous waste.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC code

Not applicable.

Specific labelling

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: Transport information

	 4.2 JN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR		-	-	-	-



	14.1 UN / II	14.2 O UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information
MDG	-	-	-	-	-	-
ATA	-	-	-	-	-	-
Addition Not of 14.6. Sp Not a 14.7. M	nmental nal inforr dangerou pecial pre applicabl	mation us goods according to ADR, IA ecautions for user e. ransport in bulk according to				
SECTIC	DN 15: Re	gulatory information				
N Dem SEVE Addi N Sour R R (F	lo special ands for lo specific SO - Cate lot applic tional inf lot applic rces regulation etained a regulation REACH) as	specific education c requirements. egories / dangerous substance able. formation able. n (EC) No 1272/2008 on classif nd amended in UK law.	ication, labelling and packaging of ng the Registration, Evaluation, Aut			
SECTIO	ON 16: Ot	her information				
ADN ADR ATE = BCF =	= Europe = The Eu = Acute T = Biocone = Chemic		International Carriage of Dangero g the International Carriage of Dan			rway



OECD = Organisation for Economic Co-operation and Development PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail RRN = REACH Registration Number SCL = A specific concentration limit SVHC = Substances of Very High Concern STOT-RE = Specific Target Organ Toxicity - Repeated Exposure STOT-SE = Specific Target Organ Toxicity - Single Exposure TWA = Time weighted average UN = United Nations UVBC = Unknown or variable composition, complex reaction products or of biological materials VOC = Volatile Organic Compound vPvB = Very Persistent and Very Bioaccumulative

Additional information Not applicable.

The safety data sheet is validated by

Marcus Ansala

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a blue triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en